

PharmLabs San Diego Certificate of Analysis

3421 Hancock St, Second Floor, San Diego, CA 92110 | License: C8-000098-LIC
 ISO/IEC 17025:2017 Certification L17-427-1 | Accreditation #85368



Sample **THC-O Berry OG Flower**

Sample ID SD230112-026 (59651)	Matrix Flower (Inhalable Cannabis Good)
Tested for GOOD Distribution	
Sampled -	Received Jan 11, 2023
Analyses executed CANX, MWA	Reported Jan 16, 2023

CANX - Cannabinoids Analysis

Analyzed Jan 16, 2023 | Instrument HPLC
 Measurement Uncertainty at 95% confidence 7.81%

Analyte	LOD mg/g	LOQ mg/g	Result %	Result mg/g	Sample photography
11-Hydroxy-Δ8-Tetrahydrocannabinarin (11-Hyd-Δ8-THCV)	0.013	0.041	ND	ND	
Cannabidiolcin (CBDO)	0.002	0.007	ND	ND	
Abnormal Cannabidiolcin (a-CBDO)	0.01	0.031	ND	ND	
(+/-)-9B-Hydroxy-Hexahydrocannabinol (9b-HHC)	0.012	0.036	ND	ND	
11-Hydroxy-Δ8-Tetrahydrocannabinol (11-Hyd-Δ8-THC)	0.007	0.021	ND	ND	
Cannabidiolic Acid (CBDA)	0.001	0.16	6.89	68.88	
Cannabigerol Acid (CBGA)	0.001	0.16	0.86	8.59	
Cannabigerol (CBG)	0.001	0.16	0.26	2.56	
Cannabidiol (CBD)	0.001	0.16	4.55	45.47	
1(S)-THD (s-THD)	0.013	0.041	ND	ND	
1(R)-THD (r-THD)	0.025	0.075	ND	ND	
Tetrahydrocannabinarin (THCV)	0.001	0.16	ND	ND	
Δ8-tetrahydrocannabinarin (Δ8-THCV)	0.021	0.064	ND	ND	
Cannabidihexol (CBDH)	0.005	0.16	NT	NT	
Tetrahydrocannabinol (Δ9-THCB)	0.013	0.038	ND	ND	
Cannabinol (CBN)	0.001	0.16	0.05	0.46	
Cannabidiophorol (CBDP)	0.015	0.047	ND	ND	
exo-THC (exo-THC)	0.005	0.16	ND	ND	
Tetrahydrocannabinol (Δ9-THC)	0.003	0.16	0.22	2.18	
Δ8-tetrahydrocannabinol (Δ8-THC)	0.004	0.16	0.05	0.47	
(6aR,9S)-Δ10-Tetrahydrocannabinol ((6aR,9S)-Δ10)	0.015	0.16	ND	ND	
Hexahydrocannabinol (S Isomer) (9s-HHC)	0.017	0.16	ND	ND	
(6aR,9R)-Δ10-Tetrahydrocannabinol ((6aR,9R)-Δ10)	0.007	0.16	ND	ND	
Hexahydrocannabinol (R Isomer) (9r-HHC)	0.016	0.16	ND	ND	
Tetrahydrocannabinolic Acid (THCA)	0.001	0.16	ND	ND	
Δ9-Tetrahydrocannabinol (Δ9-THCH)	0.024	0.071	ND	ND	
Cannabinol Acetate (CBNO)	0.014	0.043	ND	ND	
Δ9-Tetrahydrocannabinophorol (Δ9-THCP)	0.017	0.16	ND	ND	
Δ8-Tetrahydrocannabinophorol (Δ8-THCP)	0.041	0.16	ND	ND	
Cannabicitran (CBT)	0.005	0.16	NT	NT	
Δ8-THC-O-acetate (Δ8-THCO)	0.076	0.16	7.74	77.36	
9(S)-HHCP (s-HHCP)	0.031	0.094	ND	ND	
Δ9-THC-O-acetate (Δ9-THCO)	0.066	0.16	2.01	20.09	
9(R)-HHCP (r-HHCP)	0.026	0.079	ND	ND	
9(S)-HHC-O-acetate (s-HHCO)	0.005	0.16	NT	NT	
3-octyl-Δ8-Tetrahydrocannabinol (Δ8-THC-C8)	0.067	0.204	ND	ND	
Cannabichromene (CBC)	0.002	0.16	0.28	2.80	
Cannabidivarin (CBDV)	0.039	0.16	ND	ND	
Total THC (THCa * 0.877 + Δ9THC)			0.22	2.18	
Total THC + Δ8THC + Δ10THC (THCa * 0.877 + Δ9THC + Δ8THC + Δ10THC)			0.26	2.65	
Total CBD (CBDA * 0.877 + CBD)			10.59	105.88	
Total CBG (CBGa * 0.877 + CBG)			1.01	10.10	
Total HHC (9r-HHC + 9s-HHC)			ND	ND	
Total Cannabinoids			21.93	219.33	

*Dry Weight %

MWA - Moisture Content & Water Activity Analysis

Analyzed Jan 12, 2023 | Instrument Chilled-mirror Dewpoint and Capacitance | Method SOP-008

Analyte	Result	Limit	Analyte	Result	Limit
Moisture (Mo)	7.2 % Mw	13 % Mw	Water Activity (WA)	0.51 a _w	0.85 a _w

UI Not Identified
 ND Not Detected
 N/A Not Applicable
 NT Not Reported
 LOD Limit of Detection
 LOQ Limit of Quantification
 <LOQ Detected
 >ULOL Above upper limit of linearity
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Lab Manager
 Mon, 16 Jan 2 23 11:41:37 - 8

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Certification L17-427-1

*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state or local laws and has been reported on the certificate of analysis. Measurement of uncertainty is available upon request.

